Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	2	first adj1 (register latch or hold) with ((receiver and transmitter) or transsiver) with data and (compar$4 or "xor") with receiv$3 with transmi$6 and shift with control$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:42
L9	2	first adj1 (register latch or hold) with ((receiver and transmitter) or transsiver) with data and (compar$4 or "xor") with shift with control$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:42
L12	100	(register latch or hold) with ((receiver and transmitter) or transsiver) with data and compar$4 and shift with controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:44
L13	178	(register latch or hold) with ((receiver and transmitter) or transceiver) with data and compar$4 and shift with controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:42
L14	2	first adj1 (register latch or hold) with ((receiver and transmitter) or transceiver) with data and (compar$4 or "xor") with receiv$3 with transmi$6 and shift with control$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:42
L15	2	first adj1 (register latch or hold) with ((receiver and transmitter) or transceiver) with data and (compar$4 or "xor") with shift with control$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:42
L16	1	"4237537" and compar$5 with regist$3 with transmit$6 with receiv$3 with control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:06
L17	1	"4237537" and compar$5 with regist$3 and transmit$6 with receiv$3 and control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 15:06
S1	14	"5781458"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 08:28
S2	24	"4853884"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:18

S4	3	380/201.ccls. and lipton	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 08:31
S8	1	"0031607.5"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 08:35
S9	1	"2000GB-0031607.5"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 08:41
S13	19	(michael with epstein) and random with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 09:44
S14	9	(michael with epstein) and random with bit and transmi$6 and receiv$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 08:54
S15	7	(michael with epstein) and random with bit and transmi$6 and receiv$3 and (stor$3 or sav$3 or register or memory or RAm or ROM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 08:56
S17	125	random with bit and transmi$6 and receiv$3 and (stor$3 or sav$3 or register or memory or RAm or ROM) and unpredict$4 with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:04
S18	34	(random adj1 bit with generat$3) and transmi$6 and receiv$3 and (stor$3 or sav$3 or register or memory or RAm or ROM) and unpredict$4 with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 09:00
S19	5	(random adj1 bit with generat$3) and transmi$6 and receiv$3 and (stor$3 or sav$3 or register or memory or RAm or ROM) and unpredict$4 with sequence with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 09:12
S22	14	(random adj1 bit with generat$3) and transmitter and (storage) with bit with sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 09:17
S23	4	((random adj1 bit with generat$3) with (storage) with bit with sequence) and transmitter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 09:17

S24	17	verification with systemand first adj1 register with receiv$3 and second with register with transmi$6 with data and compar$4 with receiv$3 with transmi$6 and shift with control$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:04
S25	2	verification with system and first adj1 register with receiv$3 and second with register with transmi$6 with data and compar$4 with receiv$3 with transmi$6 and shift with control$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:18
S26	17	first adj1 register with receiv$3 and second with register with transmi$6 with data and compar$4 with receiv$3 with transmi$6 and shift with control$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:10
S28	3	first adj1 register with receiv$3 and second with register with transmi$6 with data and ("xor") with receiv$3 with transmi$6 and shift with control$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:15
S30	6	verification adj2 system and register with receiv$3 with transmi$6 and ("xor" or compar$5) with receiv$3 with transmi$6 and shift with control$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:24
S34	12	(register with receiv$3 with sequence) with (register with transmi$6 with sequence) and ("xOR" or compar$4) and shift with control$4 with difference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:53
S35	1	(register with receiv$3 with sequence) with (transmi$6) and ("xOR" or compar$4) and shift with control$4 with difference with transmi$6 adj2 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:55
S36	1	(register with receiv$3 with sequence) with (transmi$6) and ("xOR" or compar$4) and shift with difference with transmi$6 adj2 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 11:56
S37	20	(register with receiv$3 with sequence) with (transmi$6) and ("xOR" or compar$4) and shift with difference with transmi$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:35
S38	5	(register with receiv$3 with (PN adj2 sequence)) with (transmi$6) and ("xOR" or compar$4) and shift with transmi$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:39
S39	520	(register with receiv$3 with transmi$6) with ("xOR" or compar$4) and shift with transmi$6 with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:47

S40	8	(register with receiv$3 with transmi$6) with ("xOR" or compar$4) and shift adj1 control$4 with transmi$6 with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:50
S41	228	(register with receiv$3 with transmi$6) with ("xOR" or compar$4) and shift with control$4 with transmi$6 with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:52
S42	273	(register with receiv$3 with transmi$6) and ("xOR" or compar$4) with ((receiv$3 and transmi$6) with register) and shift with control$4 with transmi$6 with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:55
S44	16	(register with receiv$3 with (transmi$6 with portion)) and ("xOR" or compar$4) with ((receiv$3 and transmi$6) with register) and shift with control$4 with (transmi$6 with portion) with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:58
S48	0	("xOR" or compar$4) with ((receiv$3 and transmi$6) with register) and shift with control$4 with (transmi$6) with register and pn adj1 sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:02
S49	2	("xOR" or compar$4) with ((receiv$3 and transmi$6) with register) and shift with control$4 with (transmi$6) with register and random adj1 bit adj2 sequence	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:03
S51	1	random with bit and transmi$6 and receiv$3 and (stor$3 or sav$3 or register or memory or RAm or ROM) and unpredict$4 with bit and (register with receiv$3 with transmi$6) with ("xOR" or compar$4) and shift with transmi$6 with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:06
S52	45	(register with receiv$3 with (transmi$6 with portion)) and ("xOR" or compar$4) with ((receiv$3 and transmi$6) with register) and shift with control$4 with transmi$6 with register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:00
S53	2	(register with receiv$3 with sequence) with (register with transmi$6 with sequence) same ("xOR" or compar$4) same shift with control$4 with difference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:08
S54	20	first adj1 register with receiv$3 and second with register with transmi$6 with data and (compar$4 or "xor") with receiv$3 with transmi$6 and shift with control$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 14:29
S55	2	(random adj1 bit with generat$3) and transmitter and (storage) with unpredict$4 with sequence with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 15:12

S56	1	(michael with epstein) and random with bit and identifi$6 and mixer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 09:45
S57	9	(michael with epstein) and random with bit and identifi$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 09:48
S58	52	(random adj1 bit with generat$3) and identifi$6 and mixer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:26
S60	3	(random adj1 bit with generat$3) and identifi$6 same mixer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 09:50
S62	20	(random adj1 bit with generat$3) and identifi$6 same mix$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 09:55
S63	2	(random adj1 bit with generat$3) and identifi$6 with mix$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 09:51
S65	1	(random adj1 bit) with (identifi$6 or ID) with mix$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 09:56
S66	9	"4853884" and identifi$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:21
S67	1	"4853884" and identifi$6 with mix$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:21
S68	2	(random adj1 bit with (generat$3 or sequence)) and identifi$6 with mix$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:26
S69	6	(random adj1 bit with (generat$3 or sequence)) and (identifi$6 or ID) with mix$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:28

S70	70	(random adj1 bit with (generat$3 or sequence)) with (identifi$6 or ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:38
S71	1	(random adj1 bit with (generat$3 or sequence)) with (identifi$6 or ID) with mix$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:36
S72	4	(random adj1 bit with (generat$3 or sequence)) with (identifi$6 or ID) with (mix$3 or product$3 or multipl$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:44
S73	7	(random adj1 bit with (generat$3 or sequence)) with (identifi$6 or ID) same (mix$3 or product$3 or multipl$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 10:44
S74	80	paul with rankin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:19
S75	3	(paul with rankin) and (credit with method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 11:20